

Model	Parameter	95% C.I.	2.5 years	5.0 years	7.5 years	10 years
Power-law	$\hat{\alpha}_f$	Lower	0.3004	0.3004	0.3004	0.3004
			0.3004	0.3004	0.3004	0.3004
		Upper	0.3004	0.3004	0.3004	0.3004
	\hat{g}_f	Lower	1.5182	1.5181	1.5183	1.5183
			1.5183	1.5182	1.5183	1.5183
		Upper	1.5183	1.5184	1.5184	1.5183
Fast/slow	\hat{F}_{slow}	Lower	0.7399	0.6268	0.5625	0.5150
			0.7556	0.6316	0.5676	0.5204
		Upper	0.7712	0.6364	0.5727	0.5257
	\hat{k}_{slow}	Lower	0.1724	0.1434	0.1286	0.1182
			0.1765	0.1445	0.1296	0.1193
		Upper	0.1806	0.1455	0.1307	0.1203
\hat{k}_{fast}	Lower	0.6645	0.5590	0.5112	0.4795	
		0.6860	0.5631	0.5152	0.4834	
	Upper	0.7075	0.5673	0.5191	0.4873	
Simple	\hat{k}	Lower	0.2630	0.2411	0.2266	0.2166
			0.2657	0.2444	0.2301	0.2202
		Upper	0.2685	0.2476	0.2335	0.2239

Values for the power-law model were recovered essentially exactly, as expected. The estimated parameter values for the simple exponential decay model demonstrate the well understood behavior of declining values for the characteristic rate of decay as additional data are added. Further, each estimated characteristic rate is statistically significantly different from all of the others: there is no overlap in the 95% confidence intervals for any of the time intervals. Identical behavior was obtained for the three parameters of the two-compartment fast/slow model.